

Guangzhou Shengmei Pharmaceutical Co., Ltd.

CERTIFICATE OF ANALYSIS

IN-HOUSE QUALITY CONTROL LABORATORY

|                                                 |                             |
|-------------------------------------------------|-----------------------------|
| Product: Sleep Oral Dissolving Strips           | Lot No.: SM20260822         |
| Production Date: 2026-08-22                     | Testing Date: 2026-08-23    |
| Expiration Date: 2028-08-22                     | Report No.: SM-COA-20260823 |
| Pack Size: 30 individually wrapped strips / tin | Nominal strip weight: 80 mg |

Testing Laboratory: In-house Quality Control Laboratory, Guangzhou Shengmei Pharmaceutical Co., Ltd.

| Category | Test Item                | Specification / Label Claim                                                      | Test Result   | Method               |
|----------|--------------------------|----------------------------------------------------------------------------------|---------------|----------------------|
| Physical | Count per Tin            | 30 strips                                                                        | 30 strips     | Counting             |
| Physical | Average Weight per Strip | 80 mg ±10%                                                                       | 80.2 mg       | Weight determination |
| Physical | Appearance               | Uniform oral dissolving strip; Intact, uniform colour; no visible foreign matter | Conforms      | Visual inspection    |
| Physical | Odour / Taste            | Characteristic blueberry flavour; no abnormal odour                              | Conforms      | Sensory evaluation   |
| Physical | Dissolution Time         | NMT 60 seconds                                                                   | 20–30 seconds | Internal method      |
| Active   | Melatonin                | 3.0 mg/strip                                                                     | 3.02 mg/strip | GB/T 45443-2025      |
| Active   | L-Theanine               | 10.0 mg/strip                                                                    | 10.1 mg/strip | HPLC                 |
| Active   | Vitamin B6               | 1.0 mg/strip                                                                     | 1.01 mg/strip | GB 5009.154-2023     |
| Micro    | Total Plate Count        | ≤1000 CFU/g                                                                      | <10 CFU/g     | GB 4789.2-2022       |
| Micro    | Staphylococcus aureus    | Not detected                                                                     | Not detected  | GB 4789.10-2016      |
| Micro    | Salmonella               | Not detected                                                                     | Not detected  | GB 4789.4-2024       |

Conclusion: The tested batch conforms to the specifications stated in this certificate.

Inspector: Liang Yanling

Reviewer: LI Minghe

Signature

李明

